



To what extent can isotopes help substantiate natural attenuation of chlorinated ethenes?

Badin, A.; Broholm, Mette Martina; Hunkeler, D.

Publication date:
2014

[Link back to DTU Orbit](#)

Citation (APA):

Badin, A., Broholm, M. M., & Hunkeler, D. (2014). *To what extent can isotopes help substantiate natural attenuation of chlorinated ethenes?*. Abstract from In Situ Remediation Conference 2014 , London, United Kingdom.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

To what extent can isotopes help substantiate natural attenuation of chlorinated ethenes?

Badin A.¹, Broholm M.², Hunkeler D.¹

1 Centre for Hydrogeology and Geothermics, University of Neuchâtel, 2000 Neuchâtel, Switzerland (alice.badin@unine.ch)

2 Department of Environmental Engineering, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

Chlorinated ethenes are common groundwater contaminants which biodegradation into non-toxic end-products is difficult, contrary to petroleum hydrocarbons. As natural attenuation by biodegradation is a cost-effective environmental friendly remediation approach, evaluating a chlorinated ethenes plume degree of attenuation by biodegradation is essential. Yet, the degree to which this process is involved in concentration decrease in the field is not always straightforward as concentration can also decrease due to dilution or sorption.

In the past ten years, isotopic methods have gained interest as they are mainly affected by biodegradation and would thus allow quantifying the extent of biodegradation regardless of any dilution process. Numerous studies demonstrated this method potential to evaluate the extent of biodegradation based on laboratory-scale studies, but few were dedicated to evaluate the degree to which isotopes could help substantiate natural attenuation of chlorinated ethenes at the field scale.

Our work hence aims at exploring the latter based on data acquired in 2006 in a site located in Denmark which is contaminated with PCE and its end-products TCE, cDCE, and VC. Previous work on this site has enabled to demonstrate that PCE and TCE were undergoing reductive dechlorination while cDCE would be at least partially degraded through reductive dechlorination¹. However, the magnitude of the contaminants attenuation by biodegradation was not evaluated. Based on simple modeling including previous isotope data, the fate of the chlorinated ethenes plume will be investigated. The results will be compared with the data acquired from a new sampling campaign planned in 2014.

Acknowledgements: The authors would like to acknowledge Niels Just and the Region of Southern Denmark for providing the study site [and additional funding](#) as well as sharing information relative to the site, and Jesper ~~Damsgård~~-Gregersen for his precious help in organising and performing field sampling. This research was completed within the framework of the Marie Curie Initial Training Network ADVOCATE - Advancing sustainable *in situ* remediation for contaminated land and groundwater, funded by the European Commission, Marie Curie Actions Project No. 265063.

1. Hunkeler, D.; Abe, Y.; Broholm, M. M.; Jeannotat, S.; Westergaard, C.; Jacobsen, C. S.; Aravena, R.; Bjerg, P. L., Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *Journal of Contaminant Hydrology* **2011**, *119*, (1-4), 69-79.